



MASTER THE LANGUAGE OF YOUR MACHINERY

# VA SERIES ACCESSORIES



Rev.: July 2023



[www.pdmtechinc.com](http://www.pdmtechinc.com)

[sales@pdmtechinc.com](mailto:sales@pdmtechinc.com)

# VA SERIES ACCESSORIES

## Accessories

Part No.	Description	Stock
S/A4409 BNC	BNC Break Out Box with 4x AC and 4x DC, ODU version	<i>Order</i>
4802SS	Sensor simulator for calibration checks	<i>Order</i>
VA# Pro Case	Professional Transport Case for VA3 or VA5 Pro ( <i>specify</i> )	<i>Order</i>
1141Si	Silicon cover / case for VA3 Pro with strap	<i>Order</i>
1145Sh	Leather cover / case for VA5 Pro with strap	<i>Order</i>



A4409 BNC



4802SS



VA# Professional Transport Case



1141Si for VA3 Pro



1145Sh for VA5 Pro

## Sensors – Process

Part No.	Description	Stock
S/1250	Current Clamp with integral ODU Cable (1.2m)	<i>Order</i>
S/1260Mic	Ultrasound Microphone with integral ODU cable (1.2m)	<i>Order</i>
1270Thermo	Thermal Imaging Camera – VA5 Pro <i>ONLY</i>	<i>Order</i>



*Current Clamp*



*Ultrasound Microphone*

## Sensors – Speed / Phase

Part No.	Description	Stock
CI-MiniVLS	MiniVLS Laser Speed/Phase Sensor, Plain with bracket, M12, 5VDC	<i>Yes</i>
S/TC-VLS	Tach Cable, 2m black straight, 4 Pin M12 to Tach ODU	<i>Yes</i>
CI-Mag Base	Compact Magnetic Base for MiniVLS	<i>Yes</i>
S/Laser Tach Kit	CI-MiniVLS Sensor Kit with Mag Base, Cable, and Reflective Tape	<i>Yes</i>
S/TC-TTL	Tach Cable, 4 ft blue straight, BNC to Tach ODU ( <i>universal TTL</i> )	<i>Yes</i>



## Accelerometer Magnetic Bases

Part No.	Description	Stock
HS-AM001	2 Bar, 18 kg / 40 lb pull, 1.0" dia., 0.7" height, 1/4-28 male	Yes
HS-AM012	2 Bar, 18 kg / 40 lb pull, 1.0" dia., 0.9" height, 1/4-28 female	Order
HS-AM018	2 Bar, 20 kg / 44 lb pull, 1.3" dia., 0.8" height, 1/4-28 male	Yes
HS-AM035	2 Bar, 20 kg / 44 lb pull, 1.3" dia., 1.0" height, 1/4-28 female	Yes
HS-AM038	2 Bar, 35 kg / 77 lb pull, 1.4" dia., 1.3" height, 1/4-28 female	Yes
HS-AM014	Flat, 13.5 kg / 30 lb, 1.0" dia., 0.6" height, 1/4-28 female	Yes
HS-AM045	Flat, 25 kg / 55 lb, 1.2" dia., 0.6" height, 1/4-28 female	Order
HS-AM019	Flat, 50 kg / 110 lb, 1.6" dia., 0.4" height, 1/4-28 male (HS173R)	Order
HS-AM051-TX	Triax 2 bar, 35 kg / 77 lb, 1.4" dia., 1.1" height, 1/4-28 female	Yes
PM-REM102	Super Mag, 2 bar, 40 kg / 88 lb, 1.3" dia., 1.0" height, 1/4-28 female	Yes



## Stroboscopes

Part No.	Description	Stock
MI-NSBBL Kit	Extremely bright 12 LED Strobe for stop motion inspection	Order
MI-NSDBL Kit	Adds phase shifting, 5 preset memory, and tach mode to BBL	Order

